

Plumbing Division: Glossary of Terms

Glossary of Terms

Check out our Fast Track Schedule B Incentive

<p>Replace: To reinstall one of equal size, BTU or type. This information is listed on the front of the Schedule B–Box 6.</p>	<p>House piping Not altered. No new pipes installed. Replacement fixtures are Not listed on back of Sch.B Op 98 results only (finish) or finish inspection. If gas boiler, place an X in the box Gas to Gas Appliance Direct Replacement. In comments state your replacement, <i>boiler to boiler replacement, stove to stove replacement, etc.</i></p>
<p>Relocate On Existing Roughing: To move to a new location on the same stacks and/or vents with minimum piping. Any gas piping requires a Gas pipe and Gas Test inspection. File an OP 98. <i>"It lived there before and continues to live there"</i>. This information is listed on the front of the Schedule B–Box 6.</p>	<p>Minimum pipe installation, with equal or less fixture count. If fixture count is less a Cap and Remove is required. Not listed on back of Schedule B. An Op 98 notice and results or a Roughing, Fixture, Gas pipe or Gas test inspection required.</p>
<p>Relocate On New Roughing In: To move to a new location on the same or new stack with new waste and vent piping. Any gas piping requires a Gas pipe and Gas Test inspection. Fill an OP 98. <i>"It lived there before and continues to live there"</i> This information is listed on the front of the Schedule B–Box 6.</p>	<p>All new piping, with equal or less fixtures count. If fixture count is less a Cap and Remove is required. Not listed on back of Schedule B. An Op 98 notice and results or a Roughing, Fixture, Gas pipe or Gas test inspection required.</p>
<p>New Fixtures: New fixtures are fixtures <i>"that have never lived in that space, apartment, floor or building before."</i> If you remove a tub and install a shower stall, it is considered new. <i>"It never lived there before"</i>. This information is listed on the back of the Schedule B.</p>	<p>New fixtures required to be listed on the back of the Schedule B Form. Review instruction form before, to ensure the correct section is completed.</p>

Sprinkler and Standpipe Systems:

Whenever a sprinkler or standpipe system is altered, replaced, relocated or installed new, a sprinkler or standpipe inspection and a hydrostatic test is required. Followed up by a FP 85/FP 84 Form and all supporting paperwork. This is also true for replacement of sprinkler heads.

Based on the terminology a **Remove and Cap** or **Demolition Permit** cancels out or deletes from the fixture count.